

Brzo. Sigurno. Sjajno.

Kronenflex® **EDGE**




70 YEARS **KRONENFLEX®**





Rezna ploča za metal/čelik A24 R SUPRA




Veživo
 Srednje
 Stupanj kvalitete
 Supra
 Upotreba:
METAL, ČELIK

Promjer x širina x otvor u mm	Primjena	Maximalna brzina operacije	Maximalna RPM	Šifra artikla	Pakiranje
115x2,5x22,3	METAL/SUPRA	80 m/s	13,300 rpm	35381	25
125x2,5x22,3	METAL/SUPRA	80 m/s	13,300 rpm	37036	25
180x3,0x22,3	METAL/SUPRA	80 m/s	8,500 rpm	35656	25
230x3,0x22,3	METAL/SUPRA	80 m/s	6,600 rpm	35429	25

Rezna ploča za INOX EDGE SPECIAL





EDGE



Veživo
 Tvrd
 Stupanj kvalitete
 Extra
 Upotreba:
INOX I METAL

Promjer x širina x otvor u mm	Primjena	Maximalna brzina operacije	Maximalna RPM	Šifra artikla	Pakiranje
115x1,2x22,3	INOX	80 m/s	13,300 rpm	57445	25
125x1,2x22,3	INOX	80 m/s	12,200 rpm	57446	25


Rezna ploča za INOX A60 EXTRA / A24NSUPRA



Veživo
 Tvrd
 Stupanj kvalitete
 Extra / Supra
 Upotreba:
INOX I METAL

Promjer x širina x otvor u mm	Primjena	Maximalna brzina operacije	Maximalna RPM	Šifra artikla	Pakiranje
115x1x22,3	INOX/EXTRA	80 m/s	13,300 rpm	16279	25
125x1x22,3	INOX/EXTRA	80 m/s	12,200 rpm	16280	25
125x2,5x22,3	INOX/SUPRA	80 m/s	12,200 rpm	35652	25
180x3,0x22,3	INOX/SUPRA	80 m/s	8,500 rpm	20338	25
230x3,0x22,3	INOX/SUPRA	80 m/s	6,600 rpm	35653	25

Rezna ploča za INOX A346 EXTRA



Veživo
 Tvrd
 Stupanj kvalitete
 Extra
 Upotreba:
INOX I METAL


Promjer x širina x otvor u mm	Primjena	Maximalna brzina operacije	Maximalna RPM	Šifra artikla	Pakiranje
115x1,6x22,3	INOX	80 m/s	13,300 rpm	29822	25
125x1,6x22,3	INOX	80 m/s	12,200 rpm	1633	25



Rezna ploča za INOX A36TZ SPECIAL/A46TZ



Promjer x širina x otvor u mm	Primjena	Maximalna brzina operacije	Maximalna RPM	Šifra artikla	Pakiranje
180x1,6x22,3	INOX	80 m/s	8,500 rpm	18548	25
230x1,9x22,3	INOX	80 m/s	6,600 rpm	13556	25




Vezivo
Tvrd
Stupanj kvalitete
Specijal
Upotreba:
INOX I METAL

Brusna ploča za metal / inox A24 EXTRA / SUPRA



Promjer x širina x otvor u mm	Primjena	Maximalna brzina operacije	Maximalna RPM	Šifra artikla	Pakiranje
115x6,0x22,3	METAL/EXTRA	80 m/s	13,300 rpm	13559	10
125x4,0x22,3	ČELIK/SUPRA	80 m/s	12,200 rpm	35650	10
125x6,0x22,3	METAL/EXTRA	80 m/s	12,200 rpm	35382	10
180x4,0x22,3	ČELIK/SUPRA	80 m/s	8,500 rpm	35654	10
180x6,0x22,3	METAL/EXTRA	80 m/s	8,500 rpm	13560	10
180x6,0x22,3	INOX/SUPRA	80 m/s	8,500 rpm	35651	10
230x6,0x22,3	METAL/EXTRA	80 m/s	6,600 rpm	16282	10




Vezivo
Srednje
Stupanj kvalitete
Extra
Upotreba:
METAL

REZNA ZA KAMEN / C24 EXTRA




Promjer x širina x otvor u mm	Primjena	Maximalna brzina operacije	Maximalna RPM	Šifra artikla	Pakiranje
115x2,5x22,3	KAMEN/BETON	80 m/s	13,300 rpm	16268	25
125x2,5x22,3	KAMEN/BETON	80 m/s	12,200 rpm	16269	25
180x3,0x22,3	KAMEN/BETON	80 m/s	8,500 rpm	16273	25
230x3,0x22,3	KAMEN/BETON	80 m/s	6,600 rpm	16274	25




Vezivo
Tvrd
Stupanj kvalitete
Extra
Upotreba:
KAMEN

BRUSNA ZA KAMEN / C24R SUPRA




Promjer x širina x otvor u mm	Primjena	Maximalna brzina operacije	Maximalna RPM	Šifra artikla	Pakiranje
115x6,0x22,3	KAMEN/BETON	80 m/s	13,300 rpm	93068	10
125x6,0x22,3	KAMEN/BETON	80 m/s	12,200 rpm	35893	10
180x6,0x22,3	KAMEN/BETON	80 m/s	8,500 rpm	35891	10



Vezivo
Tvrd
Stupanj kvalitete
Extra
Upotreba:
KAMEN



Lamelarni brusni disk SMT 324



Dostupne granulacije


16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Dizajn	Konveksni
Vezivno sredstvo	Smola
Zrno	Al. cirkonijum / Al. oksid
Podmetač	Plastika armirana st. vlaknima
Upotreba	METAL/INOX

SMT624

Promjer u mm granulacija	Primjena	Maximalna brzina	Pak.	Maximalna RPM	Šifra artikla
115x22 40	METAL/INOX	80 m/s	10	13,300 rpm	11
115x22 60	METAL/INOX	80 m/s	10	13,300 rpm	13
115x22 80	METAL/INOX	80 m/s	10	13,300 rpm	24
115x22 120	METAL/INOX	80 m/s	10	13,300 rpm	19
125x22 40	METAL/INOX	80 m/s	10	12,200 rpm	25
125x22 60	METAL/INOX	80 m/s	10	12,200 rpm	21248
125x22 80	METAL/INOX	80 m/s	10	12,200 rpm	23272

Lamelarni brusni disk SMT 624 SUPRA



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Dizajn	Konveksni
Vezivno sredstvo	Smola
Zrno	Al. cirkonijum
Podmetač	Plastika armirana st. vlaknima
Upotreba	ČELIK/INOX

Promjer u mm granulacija	Primjena	Maximalna brzina	Pak.	Maximalna RPM	Šifra artikla
180x22 40	ČELIK/INOX	80 m/s	10	8,500 rpm	21253
180x22 60	ČELIK/INOX	80 m/s	10	8,500 rpm	21254
180x22 80	ČELIK/INOX	80 m/s	10	8,500 rpm	21255

Lepezasti brus KM 613



Dostupne granulacije



40	
50	
60	
80	
120	

Vezivno sredstvo	Smola
Zrno	Al. oksid
Upotreba	METAL/INOX

Promjer u mm	Granulacija	Primjena	Pak.	Maximalna RPM	Šifra artikla
25x15x6	40	METAL/INOX	10	30,500 rpm	15522
25x15x6	60	METAL/INOX	10	30,500 rpm	15733
25x15x6	80	METAL/INOX	10	30,500 rpm	15528
25x15x6	120	METAL/INOX	10	30,500 rpm	15529
40x20x6	40	METAL/INOX	10	19,000 rpm	15530
40x20x6	60	METAL/INOX	10	19,000 rpm	41959
40x20x6	80	METAL/INOX	10	19,000 rpm	15526
40x20x6	100	METAL/INOX	10	19,000 rpm	15531
40x20x6	120	METAL/INOX	10	19,000 rpm	15533
60x30x6	40	METAL/INOX	10	12,700 rpm	15536
60x30x6	60	METAL/INOX	10	12,700 rpm	15540
60x30x6	80	METAL/INOX	10	12,700 rpm	15541
60x30x6	100	METAL/INOX	10	12,700 rpm	15542
60x30x6	120	METAL/INOX	10	12,700 rpm	16046
60x40x6	40	METAL/INOX	10	12,700 rpm	15200
60x40x6	60	METAL/INOX	10	12,700 rpm	15201
60x40x6	80	METAL/INOX	10	12,700 rpm	15205
60x40x6	100	METAL/INOX	10	12,700 rpm	15212
60x40x6	120	METAL/INOX	10	12,700 rpm	15213



Fiber disk CS 561



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vežavno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna


Zatvorena

Upotreba

**METAL, ČELIK, DRVO, INOX
PLASTIKA**

Promjer x otvor u mm	Primjena	GR	Pak.	Tip rupe	Šifra artikla
115x22	METAL, ČELIK, DRVO	16	25	☼ 30	305
115x22	METAL, ČELIK, DRVO	24	25	☼ 30	306
115x22	METAL, ČELIK, DRVO	36	25	☼ 30	49
115x22	METAL, ČELIK, DRVO	40	25	☼ 30	307
115x22	METAL, ČELIK, DRVO	50	25	☼ 30	4750
115x22	METAL, ČELIK, DRVO	60	25	☼ 30	308
115x22	METAL, ČELIK, DRVO	80	25	☼ 30	51
115x22	METAL, ČELIK, DRVO	100	25	☼ 30	310
115x22	METAL, ČELIK, DRVO	120	25	☼ 30	311
180x22	METAL, ČELIK, DRVO	16	25	☼ 30	16329
180x22	METAL, ČELIK, DRVO	24	25	☼ 30	490
180x22	METAL, ČELIK, DRVO	36	25	☼ 30	1128
180x22	METAL, ČELIK, DRVO	40	25	☼ 30	491
180x22	METAL, ČELIK, DRVO	50	25	☼ 30	4752
180x22	METAL, ČELIK, DRVO	60	25	☼ 30	492
180x22	METAL, ČELIK, DRVO	80	25	☼ 30	493
180x22	METAL, ČELIK, DRVO	100	25	☼ 30	494
180x22	METAL, ČELIK, DRVO	120	25	☼ 30	495

Brusni papir na spužvi PS 73 W Soft



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vežavno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna

Poluotvoreno

Upotreba

**BOJE, LAKOVI I KITOVI,
PLASTIKA, DRVO**

Širina x dužina mm	Primjena	GR	Pak.	Šifra artikla
115x25000	BOJE, LAKOVI, KITOVI, PLASTIKA, DRVO	120	25	39543
115x25000	BOJE, LAKOVI, KITOVI, PLASTIKA, DRVO	180	25	39544
115x25000	BOJE, LAKOVI, KITOVI, PLASTIKA, DRVO	240	25	39545
115x25000	BOJE, LAKOVI, KITOVI, PLASTIKA, DRVO	320	25	39546
115x25000	BOJE, LAKOVI, KITOVI, PLASTIKA, DRVO	600	25	39548
115x25000	BOJE, LAKOVI, KITOVI, PLASTIKA, DRVO	800	25	39549

*minimalna količina za naručiti je 25m, cijena se odnosi za 1m!



Brusni disk čičak PS 22K



Promjer u mm	Primjena	GR	Pak.	Broj rupa	Šifra artikla
125	METAL/DRVO	40	50	8 (GLS5)	17976
125	METAL/DRVO	60	50	8 (GLS5)	17977
125	METAL/DRVO	80	50	8 (GLS5)	17978
125	METAL/DRVO	100	50	8 (GLS5)	17979
125	METAL/DRVO	120	50	8 (GLS5)	17980
125	METAL/DRVO	150	50	8 (GLS5)	40034
125	METAL/DRVO	180	50	8 (GLS5)	40035
125	METAL/DRVO	220	50	8 (GLS5)	40036
125	METAL/DRVO	240	50	8 (GLS5)	40037
150	METAL/DRVO	40	50	6 (GLS3)	17963
150	METAL/DRVO	60	50	6 (GLS3)	17964
150	METAL/DRVO	80	50	6 (GLS3)	17967
150	METAL/DRVO	100	50	6 (GLS3)	17968
150	METAL/DRVO	120	50	6 (GLS3)	17969
150	METAL/DRVO	150	50	6 (GLS3)	40038
150	METAL/DRVO	180	50	6 (GLS3)	40039
150	METAL/DRVO	220	50	6 (GLS3)	40040
150	METAL/DRVO	240	50	6 (GLS3)	40041

Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vežavno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna

Polu-otvoren

Upotreba

METAL I DRVO

Promjer u mm	Primjena	GR	Pak.	Broj rupa	Šifra artikla
delta	METAL/DRVO	40	50	GLS15	40020
delta	METAL/DRVO	60	50	GLS15	40021
delta	METAL/DRVO	80	50	GLS15	40022
delta	METAL/DRVO	100	50	GLS15	40023
delta	METAL/DRVO	120	50	GLS15	40024
delta	METAL/DRVO	150	50	GLS15	4966
115	METAL/DRVO	40	50	PUNI 0	28030
115	METAL/DRVO	60	50	PUNI 0	32983
115	METAL/DRVO	80	50	PUNI 0	40025
115	METAL/DRVO	100	50	PUNI 0	40026
115	METAL/DRVO	120	50	PUNI 0	40027
125	METAL/DRVO	40	50	PUNI 0	18011
125	METAL/DRVO	60	50	PUNI 0	40028
125	METAL/DRVO	80	50	PUNI 0	40029
125	METAL/DRVO	100	50	PUNI 0	40030
125	METAL/DRVO	120	50	PUNI 0	10152
115	METAL/DRVO	40	50	GLS4	5935
115	METAL/DRVO	60	50	GLS4	40031
115	METAL/DRVO	80	50	GLS4	40032
115	METAL/DRVO	100	50	GLS4	38663
115	METAL/DRVO	120	50	GLS4	40033

Brusni disk čičak PS 33BK/CK



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vežavno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna

Polu-otvoren

Upotreba

**BOJE, LAKOVI, KITOVI
DRVO, PLASTIKA**

Promjer x otvor u mm	Primjena	GR	Pak.	Broj rupa	Šifra artikla
125	BOJE, LAKOVI KITOVI	60	100	8 (GLS5)	35660
125	BOJE, LAKOVI KITOVI	80	100	8 (GLS5)	35661
125	BOJE, LAKOVI KITOVI	100	100	8 (GLS5)	35662
125	BOJE, LAKOVI KITOVI	120	100	8 (GLS5)	35663
125	BOJE, LAKOVI KITOVI	150	100	8 (GLS5)	35664
125	BOJE, LAKOVI KITOVI	180	100	8 (GLS5)	35665
125	BOJE, LAKOVI KITOVI	240	100	8 (GLS5)	35666

Promjer x otvor u mm	Primjena	GR	Pak.	Broj rupa	Šifra artikla
225	BOJE, LAKOVI KITOVI	40	50m	10 (GLS52)	41073
225	BOJE, LAKOVI KITOVI	60	50m	10 (GLS52)	41074
225	BOJE, LAKOVI KITOVI	80	50m	10 (GLS52)	41075
225	BOJE, LAKOVI KITOVI	100	50m	10 (GLS52)	41076
225	BOJE, LAKOVI KITOVI	120	50m	10 (GLS52)	41077
225	BOJE, LAKOVI KITOVI	150	50m	10 (GLS52)	41078
225	BOJE, LAKOVI KITOVI	220	50m	10 (GLS52)	35858



Brusni disk čičak

PS 73CWK/BWK



Veživno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna

Polu-otvoren

Upotreba

**BOJE, LAKOVI, KITOVI
PLASTIKA**

Promjer x otvor u mm	Primjena	GR	Pak.	Broj rupa	Šifra artikla
150	BOJE, LAKOVI KITOVI	80	100	8 (GLS1)	35667
150	BOJE, LAKOVI KITOVI	100	100	8 (GLS1)	35668
150	BOJE, LAKOVI KITOVI	120	100	8 (GLS1)	35669
150	BOJE, LAKOVI KITOVI	150	100	8 (GLS1)	35670
150	BOJE, LAKOVI KITOVI	240	100	8 (GLS1)	35671
150	BOJE, LAKOVI KITOVI	320	100	8 (GLS1)	35672
150	BOJE, LAKOVI KITOVI	400	100	8 (GLS1)	35673
150	BOJE, LAKOVI KITOVI	600	100	8 (GLS1)	35674
150	BOJE, LAKOVI KITOVI	800	100	8 (GLS1)	35675

Nosač M14



Promjer		Pak.	Primjena	Boja	Šifra artikla
115mm	čičak	1	NOSAČ BR.DISKA	crna	41284
125mm	čičak	1	NOSAČ BR.DISKA	crna	35658
150mm	čičak	1	NOSAČ BR.DISKA	crna	35659

Nosač fiber diska



Promjer u mm	Pak.	Navoj	Maximalna brzina operacije	Maximalna RPM	Šifra artikla
115	1	M14	80 m/s	13,300 rpm	3042
180	1	M14	80 m/s	8,500 rpm	3043

Brusna mrežica

AN 400



Zrno

Al. oksid

Upotreba

**BOJE, LAKOVI, KITOVI
OBLOGE OD GELA, GIPS
DRVO**

Promjer x otvor u mm	GR	Primjena	Pak.	Šifra artikla
225	80	BOJE, LAKOVI KITOVI	25	35912
225	100	BOJE, LAKOVI KITOVI	25	35913
225	120	BOJE, LAKOVI KITOVI	25	35914
225	150	BOJE, LAKOVI KITOVI	25	35915
225	180	BOJE, LAKOVI KITOVI	25	35919
225	240	BOJE, LAKOVI KITOVI	25	35920

Brusno runo


NRO400



Širina u mm	Finoća	Primjena	Pak.	Šifra artikla
115x10000	medium	METAL, INOX, DRVO	10m	16408
115x10000	fine	METAL, INOX, DRVO	10m	16409
115x10000	very fine	METAL, INOX, DRVO	10m	16410



Brusni papir PS30 D



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vezivno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna

Poluotvoreno

Upotreba

**DRVO, BOJE I LAKOVI, KITOVI
METAL**



Širina x dužina mm	Primjena	GR	Pak.	Šifra
230x280	DRVO, BOJE I LAKOVI KITOVI	40	50	35676
230x280	DRVO, BOJE I LAKOVI KITOVI	60	50	35677
230x280	DRVO, BOJE I LAKOVI KITOVI	80	50	35678
230x280	DRVO, BOJE I LAKOVI KITOVI	100	50	35679
230x280	DRVO, BOJE I LAKOVI KITOVI	120	50	35680
230x280	DRVO, BOJE I LAKOVI KITOVI	150	50	35681
230x280	DRVO, BOJE I LAKOVI KITOVI	180	50	35682

Vodobrusni papir PS11C



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vezivno sredstvo

Smola

Zrno

SiC

Tip nanosa zrna

Zatvoreno

Upotreba

**BOJE, LAKOVI I KITOVI
PLASTIKA, STAKLO,
METAL**




Visokokvalitetan, robusan papir, sa vodootpornom podlogom, za obradu boje, lakova i kitovanih površina. Osnovna primjena pri autoreparaciji i lakiranju

Širina x dužina mm	Primjena	GR	Pak.	Šifra artikla
230x280	BOJE, LAKOVI, KITOVI	60	50	35683
230x280	BOJE, LAKOVI, KITOVI	80	50	35684
230x280	BOJE, LAKOVI, KITOVI	100	50	35685
230x280	BOJE, LAKOVI, KITOVI	120	50	35686
230x280	BOJE, LAKOVI, KITOVI	150	50	35687
230x280	BOJE, LAKOVI, KITOVI	180	50	35688



Vodobrusni papir PS11A



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vezivno sredstvo

Smola

Zrno

SiC

Tip nanosa zrna

Zatvoreno

Upotreba


**BOJE, LAKOVI I KITOVI,
PLASTIKA, METAL,
STAKLO**

Visokokvalitetan, fleksibilan brusni papir, sa vodootpornom podlogom, za obradu boje, lakova i kitovanih površina. Osnovna primjena pri autoreparaciji i lakiranju



Širina x dužina mm	Primjena	GR	Pak.	Šifra artikla
230x280	BOJE, LAKOVI, KITOVI	220	50	16350
230x280	BOJE, LAKOVI, KITOVI	240	50	16351
230x280	BOJE, LAKOVI, KITOVI	280	50	16352
230x280	BOJE, LAKOVI, KITOVI	320	50	16353
230x280	BOJE, LAKOVI, KITOVI	360	50	16354
230x280	BOJE, LAKOVI, KITOVI	400	50	16355
230x280	BOJE, LAKOVI, KITOVI	500	50	16356
230x280	BOJE, LAKOVI, KITOVI	600	50	16357
230x280	BOJE, LAKOVI, KITOVI	800	50	16358
230x280	BOJE, LAKOVI, KITOVI	1000	50	16359
230x280	BOJE, LAKOVI, KITOVI	1200	50	16360
230x280	BOJE, LAKOVI, KITOVI	1500	50	16361
230x280	BOJE, LAKOVI, KITOVI	2000	50	16362

Brusno platno KL375J



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vezivno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna

Zatvoreno

Upotreba


**ČELIK, METAL, DRVO
INOX**

Kvalitetno, fleksibilno brusno platno za višestruku primjenu u metalnoj industriji

Širina x dužina mm	Primjena	GR	Pak.	Šifra artikla
230x280	ČELIK, METAL, DRVO	40	50	38587
230x280	ČELIK, METAL, DRVO	60	50	38588
230x280	ČELIK, METAL, DRVO	80	50	38589
230x280	ČELIK, METAL, DRVO	100	50	38590
230x280	ČELIK, METAL, DRVO	120	50	38591
230x280	ČELIK, METAL, DRVO	150	50	35840
230x280	ČELIK, METAL, DRVO	180	50	35841



Brusni papir u roli PS19E



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Veživno sredstvo

Ljepilo

Zrno

Al. oksid

Tip nanosa zrna

Polu-otvoren


Upotreba

DRVO, PARKET

Fleksibilni brusni papir za završnu obradu sa mogućnošću široke promjene u obradi

Širina u mm	Dužina/m	Primjena	GR	Šifra artikla
200	25	DRVO, PARKET	40	508
200	25	DRVO, PARKET	60	507
200	25	DRVO, PARKET	80	1906
200	25	DRVO, PARKET	100	1620
200	25	DRVO, PARKET	120	2878
200	25	DRVO, PARKET	220	41079

Brusni papir u roli PS22N



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Veživno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna

Poluotvoreno

Upotreba

DRVO, METAL

Brusni papir poluotvorenog zrna sa povećanom agresivnošću skidanja materijala pri obradi tvrdog drveta

Širina u mm	Dužina/m	Primjena	GR	Šifra artikla
115	25	DRVO	40	35699
115	25	DRVO	60	35432
115	25	DRVO	80	35433
115	25	DRVO	100	35689
115	25	DRVO	120	35690
115	25	DRVO	150	35691
115	25	DRVO	180	35692


Širina u mm	Dužina/m	Primjena	GR	Šifra artikla
610	25	DRVO	40	35700
610	25	DRVO	60	35693
610	25	DRVO	80	35694
610	25	DRVO	100	35695
610	25	DRVO	120	35696
610	25	DRVO	150	35697
610	25	DRVO	180	35698



Brusna rola - platno KL385JF



Brusno platno poluotvorenog zrna sa povećanom agresivnošću skidanja materijala pri obradi drveta



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vežavno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna


Poluotvoreno

Upotreba

DRVO, METAL

Širina u mm	Dužina/m	Primjena	GR	Šifra artikla
115	25	DRVO/METAL	40	38615
115	25	DRVO/METAL	60	38616
115	25	DRVO/METAL	80	38617
115	25	DRVO/METAL	100	38618
115	25	DRVO/METAL	120	38619

Brusni papir u roli PS33C



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vežavno sredstvo

Smola

Zrno

Al. oksid

Tip nanosa zrna

Polu-otvoren

Upotreba


BOJE, LAKOVI, KITOVI, DRVO

Širina u mm	Dužina/m	Primjena	Granulacija	Šifra artikla
115	25	BOJE, LAKOVI, KITOVI DRVO	40	41085
115	25	BOJE, LAKOVI, KITOVI DRVO	60	41086
115	25	BOJE, LAKOVI, KITOVI DRVO	80	41087
115	25	BOJE, LAKOVI, KITOVI DRVO	100	41088
115	25	BOJE, LAKOVI, KITOVI DRVO	120	41089
115	25	BOJE, LAKOVI, KITOVI DRVO	150	41090
115	25	BOJE, LAKOVI, KITOVI DRVO	220	41091
115	25	BOJE, LAKOVI, KITOVI DRVO	240	41092





Brusna traka LS 309 XH D.I.Y.



Dostupne granulacije

16	120	500
24	150	600
30	180	800
36	220	1000
40	240	1200
50	280	1500
60	320	2000
80	360	
100	400	

Vezivno sredstvo
Smola
Zrno
Al. oksid
Tip nanosa zrna
Zatvoren
Upotreba
METAL I DRVO

Širina x dužina u mm	Primjena	GR	Pak.	Vrsta spoja	Šifra artikla
100x610	METAL/DRVO	40	3	F5	4410
100x610	METAL/DRVO	60	3	F5	4501
100x610	METAL/DRVO	80	3	F5	4811
100x610	METAL/DRVO	100	3	F5	40008
100x610	METAL/DRVO	120	3	F5	40009


75x457	METAL/DRVO	40	3	F5	40010
75x457	METAL/DRVO	60	3	F5	40011
75x457	METAL/DRVO	80	3	F5	40012
75x457	METAL/DRVO	100	3	F5	40013
75x457	METAL/DRVO	120	3	F5	40014

75x533	METAL/DRVO	40	3	F5	40015
75x533	METAL/DRVO	60	3	F5	40016
75x533	METAL/DRVO	80	3	F5	40017
75x533	METAL/DRVO	100	3	F5	40018
75x533	METAL/DRVO	120	3	F5	40019






Dijamantne ploče DT300U Extra



Design
Laserski var
Rub
Segmentni
Upotreba
GRADEVINSKI MATERIJALI

Promjer x otvor u mm	Primjena	MAX RPM	MAX br.vrtnje	Šifra artikla
115x22	GRADEVINSKI MATERIJALI	13300	80 m/s	38592
125x22	GRADEVINSKI MATERIJALI	12200	80 m/s	38593
230x22	GRADEVINSKI MATERIJALI	6600	80 m/s	38594


Dijamantne ploče DT300F Extra



Design
Sinterirani
Rub
Zatvoreni
Upotreba
KERAMIKA

Promjer x otvor u mm	Primjena	MAX RPM	MAX br.vrtnje	Šifra artikla
115x22	KERAMIKA	13300	80 m/s	38595
125x22	KERAMIKA	12200	80 m/s	38596
230x22	KERAMIKA	6600	80 m/s	38598

Dijamantni kotač DS300B Extra



Dizajn
Lemljen
Oštrica
Segmentirana

Upotreba
BETON

Promjer x otvor u mm	Primjena	MAX RPM	MAX br.vrtnje	Šifra artikla
115x22	BETON	13300	80 m/s	38600
125x22	BETON	12200	80 m/s	38601
180x22	BETON	8500	80 m/s	38603




Dijamantna rezna ploča za stolne pile
DT300U Extra



- Dizajn
- Laserski var
- Rub
- Segmentni
- Upotreba
- GRADEVINSKI MATERIJALI**

Promjer x otvor u mm	Primjena	MAX RPM	MAX br.vrtnje	Šifra artikla
350x25,4	GRADEVINSKI MATERIJAL	5500	80 m/s	38611
350x30	GRADEVINSKI MATERIJAL	5500	80 m/s	38612


Dijamantna rezna ploča
DT600F Supra



- Dizajn
- Sinterirani
- Rub
- Zatvoreni
- Upotreba
- KERAMIKA/KAMEN**

Promjer x otvor u mm	Primjena	MAX RPM	MAX br.vrtnje	Šifra artikla
350x25,4/30	KERAMIKA/KAMEN	5500	80 m/s	38614

Dijamantna rezna ploča
DT300F Extra



- Dizajn
- Lemljen
- Oštrica
- Segmentirana

- Upotreba
- KERAMIKA**

Promjer x otvor u mm	Primjena	MAX RPM	MAX br.vrtnje	Šifra artikla
200x25,4/30	KERAMIKA	7600	80 m/s	38613

Dijamantna rezna ploča za motornu rezalicu
DT300U Extra





- Dizajn
- Lemljen
- Oštrica
- Segmentirana

- Upotreba
- GRADEVINSKI MATERIJALI**

Promjer x otvor u mm	Primjena	MAX RPM	MAX br.vrtnje	Šifra artikla
300x20	GRADEVINSKI MATERIJALI	6400	80 m/s	38610




Polica za brusne papire



Polica piramida

- KLINGSPOR piramida proizvodima daje odgovarajući vizualni moderan dizajn!
- na prodajnom mjestu jamči maksimalno pažnje
- štedi prostor
- lako se instalira i prenosi
- 60 x 60 x 160 cm
- power coated površina
- prvoklasna izrada
- 30 kuka



KLINGSPOR

Tehnologija brušenja

KLINGSPOR

